

Fig. 1 (Prior Art)




Fig. 2 (Prior Art)





Fig. 3



400

Fig. 4





Fig. 5

| Field | Description | Example |
|-------------------|--------------------------------------|---------------------------------------|
| Session ID | Unique number of the session | 11534 — 602 |
| Gateway ID | The name of the gateway | Gateway.neteyecorp.com — 604 |
| Call Origin | Indicates the origin of the call | Originate — 606 |
| Call Type | Indicate call type | VoIP — 608 |
| Connect Time | The connect time for this call | 18:27:31.072 UTC Wed Dec 9 1998 — 610 |
| Disconnect Time | The disconnect time for this call | 18:27:50.070 UTC Wed Dec 9 1998 — 612 |
| Disconnect Cause | The cause for disconnect of the call | 10 — 614 |
| Remote IP Address | IP Address of the Remote gateway | 10.11.253.8 — 616 |



600

Fig. 6

| Field | Description | Example |
|---------|--|---------------------------------------|
| Srcaddr | Source IP address | 10.10.248.85 — 702 |
| Dstaddr | Destination IP address | 10.11.253.15 — 704 |
| First | The time of the first packet of the flow | 18:15:31.072 UTC Wed Dec 9 1998 — 706 |
| Last | The time of the last packet of the flow | 23:55:52.076 UTC Wed Dec 9 1998 — 708 |
| doctats | Total number of bytes in the packets | 154868 — 710 |



700

Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13